



SANJIV TYAGI
MEMBER SECRETARY
SEIAA, GUJARAT

**STATE LEVEL ENVIRONMENT IMPACT
ASSESSMENT AUTHORITY**
Paryavaran Bhavan
Sector-10 A, Gandhinagar-382 010, GUJARAT
Phone : (079) 232-32152
Fax : (079) 232-22784
E-mail : seiaaguj@yahoo.com
www.seiaa.gujarat.gov.in

No. SEIAA/GUJ/EC/1(d)/ /2008

Date:

Time Limit

To,
Welspun Gujarat Stahl Rohren Ltd.,
Vill: Jolwa, P.O. Vadadla,
Dahej Road, Ta : Vagra
Dist : Bharuch.

Sub: Environment Clearance for expansion in the existing unit at Vill: Jolwa, P.O. Vadadla, Dahej Road, Ta : Vagra Dist : Bharuch by M/s. Welspun Gujarat Stahl Rohren Ltd., in Category 8 (a) of Schedule annexed with EIA Notification dated 14/9/2006.

Dear Sir,

This has reference to your application made along with Application Form 1, EIA/ EMP and feasibility report submitted to MoEF, seeking environmental clearance under Environment Impact Assessment Notification, 2006. Later, SEAC had received this application from the Ministry of Environment & Forest, Government of India, after formation of the State Level Environment Impact Assessment Authority (SEIAA), Gujarat and the State Level Expert Appraisal Committee (SEAC), Gujarat.

It is noted that the proposal is for environmental clearance for Expansion of Power plant-6 MW (Existing 4 MW + Proposed 2 MW, Additional) in existing plant by M/s. Welspun Gujarat Stahl Rohren Ltd, Vill: Jolwa, P.O. Vadadla, Dahej Road, Ta : Vagra Dist : Bharuch. The unit is located in notified industrial estate. Expansion will be within existing land. Total cost of the project is **1.44 crores**. The list of the existing and proposed products to be manufactured in the expansion project is as given below:-

Sr.No.	Scenario	Power requirement	DGVCL/Grid	Captive Power Plant	DG Sets
A	Existing	5.5 MW	2 MW	4 MW	*
B	Proposed	5.5 MW	2 MW	6 MW	**

* 2 Nos of 2 MW DG Sets are available for generation of power for production in plant which is run by Natural Gas and remaining power requirement is met through DGVCL i.e.1.5 MW.

** 1 No. of 2 MW DG Set is proposed which will be used in plant. This DG Set will be run by Furnace Oil and it will run continuously and when any one of the DG Set is under maintenance then power requirement will be fulfilled by DGVCL in proposed scenario.

The project activity is covered in 1 (d) and is of 'B' Category. Since the proposed project is in notified industrial area, it does not need Public Consultation as per Para 7(i) III. Stage (3) (b) – "Public Consultation" of EIA Notification, 2006.

The SEAC, Gujarat had recommended to the SEIAA, Gujarat, to grant the Environment Clearance to this project for the above-mentioned products. The proposal was considered by SEIAA, Gujarat in its meeting held on 10.03.2008 at Gandhinagar. Since the EIA/ EMP Report was found to be adequate and complete and as the public consultation is not required for the project, the SEIAA hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following Specific and General conditions.:

A. Specific Conditions:

A.1 WATER:

1. No ground water shall be used for the project.
2. There would be no generation of waste water from the power generation process.

A.2 AIR:

3. Adequate stack height as per norms shall be provided.
4. Gaseous emission at workplaces shall be controlled and kept below the limits prescribed by the Factories Act and Rules. Their records shall be maintained.
5. The gaseous emissions and particulate matter from various process units shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the

stipulated standards. In the event of failure of pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the prescribed standards.

A.3 SOLID WASTE:

6. The company must strictly comply with the rules and regulations with regards to handing and disposal of Hazardous waste in accordance with the Hazardous Waste (Management and Handing) Rules 2003. Authorization from the GPCB must be obtained for collection / treatment /storage /disposal of hazardous wastes.

A.4 SAFETY:

7. Flameproof fittings shall be provided in the manufacturing plant.
8. Proper ventilation shall be provided in the work area.
9. Storage and use of toxic chemicals shall be minimized to the extent possible.
10. During material transfer, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic waste and storm water drain.
11. Personal Protective Equipment shall be provided to workers and its usage shall be ensured and supervised.
12. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity at all the times.
13. Training shall be given to all workers on safety and health aspects of handling chemicals.
14. Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per the Factories Act and Rules. Pre-employment and periodical medical examination for all workers shall be undertaken as per statutory requirement.

A.5 HEALTH:

15. Periodical Medical checking in the industrial units shall be done through reputed Medical Institutes/ Civil Hospitals/ ESIS/NIOH or Institutes designated by NIOH. The periodicity of such medical check up must be decided in Consultation with GPCB.

A.6 NOISE:

16. The overall noise level in and around the plant area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods,

silencers, enclosures vibration dampers etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.

17. Workplace noise levels for workers shall be as per the Factories Act and Rules.

A.7 GREEN BELT AND OTHER PLANTATION:

18. Company shall develop green belt within premises as per the CPCB guidelines. However if sufficient land is not available within the premises, unit shall tie up with local agencies like gram panchayat, schools, social forestry office etc. for necessary plantation at available open land in nearby area and submit an action plan for plantation for the next three years to GPCB.

B. General Conditions:

19. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.

20. The company shall strictly follow all the recommendations mentioned in the Charter on Corporate Responsibility for Environment Protection (CREP) for Chlor Alkali plants.

21. The company shall undertake eco-developmental measures including community welfare program most useful in the project area for the overall improvement of the environment. The eco-development plan shall be submitted to GPCB within three months of receipt of this letter.

22. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards recommended in the EIA / EMP report as well as other proposals made by them.

23. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water. Also harvesting of surface as well as rainwater from the rooftops of the building proposed in the project shall be undertaken and the same shall be used for the various activities of the projects to conserve fresh water.

24. The applicant shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.

25. No further expansion or modifications in the plant shall be carried out without prior approval of the MoEF/ SEIAA, as the case may be. In case of deviations or alterations in the project

- proposal from those submitted to MoEF/ SEIAA/ SEAC for clearance, a fresh reference shall be made to the SEIAA/ SEAC to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
26. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
- 27. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.**
28. It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
29. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
30. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
31. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
32. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
33. This environmental clearance is valid for five years from the date of issue.

With regards,
Yours sincerely,

(SANJIV TYAGI)
Member Secretary,
State Level Environment Impact Assessment Authority
Gujarat

Copy to:-

1. The Secretary, Department of Environment of Forests, Govt. of Gujarat, Secretariat, Gandhinagar-382010.
2. The Chairman, Central Pollution Control Board , Parivesh Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
3. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382010,
4. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (WZ), E-5, Arera Colony, Link Road-3, Bhopal-462016, MP
5. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003.
6. Select File.